

## General Data

<b>Product name</b> Kaptur	<b>Article. No.</b> 39320-39325, 39330-39335, 39341-39356	<b>Supplement no.</b> 402, 469, 495, 496
<b>Contact person, tel., e-mail</b> Niclas Thulin, +46 36 2906169 niclas.thulin@fagerhult.se	<b>Declaration established</b> 2015-08-05	<b>Last updated</b> 2021-07-13

## Supplier Information

<b>Company information</b> Fagerhults Belysning AB SE-566 80 Habo, SWEDEN Org nr 5563218659	Tel: +46 36-10 85 00 <a href="http://www.fagerhult.com">www.fagerhult.com</a>
<b>Company description</b> Fagerhult develops, manufactures and markets professional lighting systems for public environments such as offices, schools, hospitals and industries.	
<b>Certifications</b> Fagerhult is certified according to ISO 14001 och ISO 9001	

## Legal requirements regarding the product

If the product contains >0,1 % by weight of substances that are listed on the candidate list within Reach, this is presented in the comments below.

The product fulfills Low Voltage-, EMC- and RoHS-directives. Fagerhult is associated with national systems for recycling of electric and electronic waste and the luminaire is recyclable to >90% if it is treated as electrical waste at end of life. Fagerhult is also connected to national packaging recycling systems, therefore we comply with the WEEE and packaging directives.

## Structure and content

Material content	CAS no. / Reference	% by weight	Comments
Steel sheet	EN 10130 DC01	<34	
Plastic – glass fibre armoured polyester		<27	
Plastic - PMMA		<20	Housing either in PC or PMMA
Plastic - PC		<19	Housing either in PC or PMMA
Driver		<11	
Stainless steel		<3,7	
Rubber	polyurethane	<2,6	
PCB (LED)	FR4	<2,2	
Wire, halogen free		<1,8	
Powder coating	epoxi/polyester	<1,4	
Steel, electrolytical zinc coated		<1	
Steel, zinc and aluminium coated	EN 10142 DX51D+AZ150	<0,1	

## Transports and packing

Transports are mainly done by trucks. Product is packed with corrugated cardboard and/or plastic (PE & EPS).

## Environmental impact within the life cycle

The product's main environmental impact during its life cycle is the energy consumed during use. The product's end of life is estimated to 20 years.