







iTrack



För detalj nummer se slutet av dokumentet


For part numbers see end of document






Permitted mechanical loads

With iTrack Line or Dual




With all other kind of luminaires






cutable every 100mm





1





NOTE!




2 After cutting




Supply Coupler




400V




400V + dimming system (analog, DSI or DALI)




400V + dimming system (analog, DSI or DALI) + decentralised emergency system





400V + dimming system (analog, DSI or DALI) + decentralised emergency system with monitoring circuit



400V + central emergency system





No	Part	FAGERHULT		WHITECROFT
		WHITE	BLACK	WHITE
1	Supply coupler	78220	78230	ITRS
1	Supply coupler mirrored	78229	78239	-
2	Linear coupler	78221	78231	ITRIC
3	L-Coupler (Right)	78222	78232	ITRLC/R
4	L-Coupler (Left)	78223	78233	ITRLC/L
5	T-Coupler (Right)	78224	78234	ITRTC/R
6	T-Coupler (Left)	78225	78235	ITRTC/L
7	X-Coupler	78226	78236	ITRXC
8	Flex coupler	78227	-	ITRFLEXC
9	End cap	78228	78238	ITREC
10	Ceiling bracket	78248	78252	ITRBSURF
11	Wire suspension	78249	78253	ITRBPEND
12	Wire suspension assymmetric loads	78245	78254	-
13	Rod suspension M6	78246	78273	-
14	Supply coupler support	78255	78256	

Fagerhults Belysning AB
 Sweden
 +46(0)36108500

Whitecroft lighting
 United Kingdom
 +44(0)870 5087 087